

12. The rolling containers assembly of claim 7, wherein said cover is formed with underlying strengthening ribs.

13. The rolling containers assembly of claim 12, wherein said underlying strengthening ribs are deployed crosswise with respect to one another and obliquely with respect to an edge of said cover, such that triangle shapes are formed along said edge.

14. The rolling containers assembly of claim 13, wherein said underlying strengthening ribs are deployed 90 degrees crosswise with respect to one another and 45 degrees with respect to an edge of said cover.

15. The rolling containers assembly of claim 13, wherein said cover is formed with external protrusions deployed above said underlying strengthening ribs, said external protrusions serve for at least partially disguising sink marks associated with said ribs.

16. The rolling containers assembly of claim ¹⁵~~16~~, wherein said external protrusions have a diamond shape.

rule 126 ¹⁷~~18~~ 17. The rolling containers assembly of claim 7, wherein said cover includes a carrying handle.

Rule 126

¹⁸
~~19.~~ The rolling containers assembly of claim 7, wherein said carrying handle is foldable.

¹⁹
~~20.~~ The rolling containers assembly of claim 7, wherein said toolcase includes at least one latch for securing said cover to said case when closed.

²⁰
~~21.~~ The rolling containers assembly of claim 3, wherein said toolcase includes front sides and back, said sides taper toward said back.

²¹
~~22.~~ The rolling containers assembly of claim ²⁰~~21~~, wherein said front is curved.

²²
~~23.~~ The rolling containers assembly of claim 3, wherein said toolcase includes a tray deployable within said case.

²³
~~24.~~ The rolling containers assembly of claim ²²~~23~~, wherein said tray includes a tray-handle.

²⁴
~~25.~~ The rolling containers assembly of claim ²²~~23~~, wherein toolcase includes a foldable carrying handle having side arms, said tray includes a tray-handle, said tray-handle nests between said side arms of said carrying handle of said cover.

09734780 120800

Rule 126

³¹
~~32.~~ The rolling containers assembly of claim ²⁹~~30~~, wherein said casing is formed with an upper rim, said rim is supplemented with holes which serve for attaching strings for effecting carriage of desired items on said top of said base cabinet when said at least one additional cabinet is removed.

³²
~~33.~~ The rolling containers assembly of claim ²⁹~~30~~, wherein said handle is formed with additional holes which further serve for attaching strings for effecting the carriage of the desired items on said top of said base cabinet when said at least one additional cabinet is removed.

³³
~~34.~~ The rolling containers assembly of claim ²⁹~~30~~, wherein said base cabinet includes a reel rotatably attached to said casing.

³⁴
~~35.~~ The rolling containers assembly of claim ²⁹~~30~~, wherein said reel is removable.

³⁵
~~36.~~ The rolling containers assembly of claim ²⁹~~30~~, wherein said casing is supplemented with at least two elastic bands designed for engaging desired items along a side thereof.

09734780-120800

³⁶
~~37.~~

The rolling containers assembly of claim ³⁰~~31~~, wherein said flipping bin is rotatably connected to said casing via a hinge located such that said bin opens when reaches beyond a center of gravity point and closes when is before said center of gravity point.

³⁷
~~38.~~

The rolling containers assembly of claim 1, wherein said pulling handle is detachable.

³⁸
~~39.~~

The rolling containers assembly of claim 1, wherein said at least one additional cabinet is selected from the group consisting of a clamshell style case and carousel organizer.

³⁹
~~40.~~

A rolling containers assembly for storing working tools comprising:

- (a) a base cabinet including wheels for locomoting the rolling containers assembly; and
- (b) at least one additional cabinet being removably connectable on top of said base cabinet, said at least one additional cabinet including a pulling handle for effecting said locomotion.

⁴⁰
~~41.~~

The rolling containers assembly of claim ³⁹~~40~~, wherein said at least one additional cabinet is selected from the group consisting of a clamshell style case and carousel organizer.

Rule 126

also
art
max
aib